# SAFETY DATA SHEET



### 1. Identification

Product identifier	SEAL 340	
Other means of identification		
SDS number	577N-37B	
Product code	HIL00340	
Recommended use	Floor Finish	
<b>Recommended restrictions</b>	For Labeled Use Only	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer		
Company name	HILLYARD INDUSTRIES	
Address	302 North Fourth St.	
	St. Joseph, MO 64501	

Contact person	Regulatory Affairs
Telephone number	(816) 233-1321 (Ext. 8285)
Fax	(816) 383-8485
E-mail	regulatoryaffairs@hillyard.com
Emergency telephone #	(800) 424-9300
	(Only in the event of chemical emergency involving a spill, leak, fire, exposure or accident involving chemicals)

2. Hazard(s) identification		
Physical hazards	Not classified.	
Health hazards	Not classified.	
Environmental hazards	Hazardous to the aquatic environment, acute Category 3 hazard	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	None.	
Hazard statement	Harmful to aquatic life.	
Precautionary statement		
Prevention	Avoid release to the environment.	
Response	Wash hands after handling.	
Storage	Store away from incompatible materials.	
Disposal	Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law in compliance with applicable federal, state and local requirements. CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer clean, dry container for recycling or reconditioning.	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	

### 3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
2-(2-ethoxyethoxy)ethanol		111-90-0	3 - < 5
Material name: SEAL 340			SDS US

Chemical name	Common name and synonyms	CAS number	%
Tributoxyethyl Phosphate		78-51-3	1 - < 3
Other components below repo	rtable levels		90 - 100
*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.			
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if sympton	ns develop or persist.	
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.		
Eye contact	e contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact le Continue rinsing.		remove contact lenses.
Ingestion	Rinse mouth thoroughly. Drink water as a pre continues.	ecaution. Get medical attention	if any discomfort
Most important	Direct contact with eyes may cause temporar	y irritation.	

symptoms/effects, acute and<br/>delayedGeneral informationEnsure that medical personnel are aware of the material(s) involved, and take precautions to<br/>protect themselves.

### 5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Material can be slippery when wet. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Follow precautions for safe handling described in this safety data sheet. For personal protection, see section 8 of the SDS. For personal protection, see section 8 of the SDS.
Methods and materials for	This product is miscible in water. Prevent product from entering drains.
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities** Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	onmental Exposure Level (WEEL) Gu Type	Value
2-(2-ethoxyethoxy)ethanol (CAS 111-90-0)	TWA	140 mg/m3
, , , , , , , , , , , , , , , , , , ,		25 ppm
Biological limit values	No biological exposure limits noted f	or the ingredient(s).
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.	
Individual protection measures	, such as personal protective equipn	nent
Eye/face protection	Avoid contact with eyes. Where spla side shield	shing of concentrate is a concern, use protective glasses with
Skin protection		
Hand protection	Not normally needed.	
Other	Not normally needed.	
<b>Respiratory protection</b>	No personal respiratory protective e	quipment normally required.
Thermal hazards	None known.	
General hygiene considerations		ene measures, such as washing after handling the material moking. Routinely wash work clothing and protective

## 9. Physical and chemical properties

Appearance	Milky emulsion	
Physical state	Liquid.	
Form	Liquid.	
Color	Milky white	
Odor	non-objectionable odor	
Odor threshold	Not available	
рН	8.5 - 9.5	
Melting point/freezing point	Not available	
Initial boiling point and boiling range	> 200 °F (> 93.33 °C)	
Flash point	> 200.0 Tag Closed Cup	
Evaporation rate	< 1 Ethyl ether = 1	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive limits		
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	18.1 mm Hg	
Vapor density	1.14 AIR=1	
Relative density	1.0268 at 77°F	
Solubility(ies)		
Solubility (water)	appreciable	
Partition coefficient (n-octanol/water)	Not available	
Auto-ignition temperature	Not available	
Decomposition temperature	Not available	
Viscosity	Not available	
Other information		
Density	8.55 lb/gal	
Explosive properties	Not explosive.	
Oxidizing properties	Not oxidizing.	

Percent volatile	79.5 - 80.5 %
VOC	CARB COMPLIANT

### 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

### 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	May be irritating to the skin.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

#### Information on toxicological effects

Acute toxicity	Not known.		
Components	Species	Test Results	
Tributoxyethyl Phosphate (CAS 7	8-51-3)		
Acute			
Oral			
LD50	Rat	3000 mg/kg	
* Estimates for product may b	be based on additional component	nt data not shown.	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitizatio	n		
<b>Respiratory sensitization</b>	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.		
Skin sensitization	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as to carcinog	enicity to humans.	
IARC Monographs. Overall	<b>Evaluation of Carcinogenicity</b>		
Not listed.			
US. National Toxicology Pr	ogram (NTP) Report on Carcin	ogens	
Not listed.			
	ulated Substances (29 CFR 19	10.1001-1050)	
Not regulated.	This was durationed arms at all		
Reproductive toxicity		o cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be l	narmful.	

### 12. Ecological information

Ecotoxicity	Harmful to aquatic life.			
Product		Species	Test Results	
SEAL 340				
Aquatic				
Crustacea	EC50	Daphnia	1100.0037 mg/l, 48 hours estimated	
Fish	LC50	Fish	452.4589 mg/l, 96 hours estimated	
Components		Species	Test Results	
2-(2-ethoxyethoxy)ethanol (C	AS 111-90-0)			
Aquatic				
Fish	LC50	Bluegill (Lepomis macrochirus)	> 10000 mg/l, 96 hours	
Tributoxyethyl Phosphate (CA	AS 78-51-3)			
Aquatic				
Fish	LC50	Fathead minnow (Pimephales promelas)	10.4 - 12 mg/l, 96 hours	
* Estimates for product may b	e based on ad	ditional component data not shown.		
Persistence and degradability		vailable on the degradability of this product.		
Bioaccumulative potential				
Partition coefficient n-octan	ol / water (log	Kow)		
2-(2-ethoxyethoxy)ethanol Tributoxyethyl Phosphate		-0.54 3.75		
Mobility in soil	No data avai	lable.		
Other adverse effects		No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideration	ns			
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.			
_ocal disposal regulations	Dispose in a	Dispose in accordance with all applicable regulations.		
lazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.			
Naste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditioning			
14. Transport information				

#### DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

#### 15. Regulatory information

US federal regulations

All components are on the U.S. EPA TSCA Inventory List or Exempt. This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substa	nce List (40 CFR 302.4)	
Not listed.		
SARA 304 Emergency relea	se notification	
Not regulated.		
US. OSHA Specifically Regu	lated Substances (29 CFR 1910.1001-1050)	
Not regulated.		
Superfund Amendments and Re	authorization Act of 1986 (SARA)	
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	
SARA 302 Extremely hazard	ous substance	
Not listed.		
SARA 311/312 Hazardous chemical	No	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations	California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date Revision date Version # HMIS® ratings	03-18-2015 02-16-2017 03 Health: 0 Flammability: 0 Physical hazard: 0
Disclaimer	No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.
<b>Revision information</b>	This document has undergone significant changes and should be reviewed in its entirety.